



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/902,995	07/11/2001	Nuggehally S. Jayant	05145.0008U1	1924
23859	7590	12/27/2005	EXAMINER	
NEEDLE & ROSENBERG, P.C. SUITE 1000 999 PEACHTREE STREET ATLANTA, GA 30309-3915			VO, TUNG T	
			ART UNIT	PAPER NUMBER
			2613	

DATE MAILED: 12/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

**Office Action Summary**

Application No.

09/902,995

Applicant(s)

JAYANT ET AL.

Examiner

Tung Vo

Art Unit

2613

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 03 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 11 October 2005.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1-51 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-51 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- \* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |   |   |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)             | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

## **DETAILED ACTION**

### ***Response to Arguments***

1. Applicant's arguments with respect to claims 1-39 have been considered but are moot in view of the new ground(s) of rejection.

### ***Withdraw Allowable Subject Matter***

2. The indicated allowability of claims 28-30 and 35-51 is withdrawn in view of the newly discovered reference(s) to Nakagawa et al. (US 6,025,880), Lau et al. (US 6,681,043 B1).

Rejections based on the newly cited reference(s) follow.

### ***Claim Rejections - 35 USC § 102***

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

4. Claims 17, 25, 26, 27 are rejected under 35 U.S.C. 102(b) as being anticipated by Nakagawa et al. (US 6,025,880).

Note the applicant discloses a display size is a resolution.

Re claims 17-18 and 25-27, Nakagawa discloses a method for calculating an optimum display size for a visual object (23 of fig. 2, and fig. 3) comprising the steps of for a predetermined number of frames of visual object (30 frames/seconds; col. 6, lines 7-12),

Art Unit: 2613

calculating a step size (12 of fig. 2); deriving a coding difficulty value as a function of step size (11, 12, 13, and 22 of fig. 2); determining the optimum display size (23 of fig. 1; col. 8, lines 5-13) for the visual object (fig. 4) based on at least one of the coding difficulty value (22 of fig. 2) and a visual object transmission rate (25 of fig. 2); wherein the visual object comprises one of a graphical image and video (fig. 4, video); calculating step sizes for one of sets of frames of the visual object (30 frames per second), a sampling of frames of the visual object, and each frame of the visual object; wherein the step of calculating the step size further comprises the step of calculating the step size based upon a first transformation coefficient (11 of fig. 2); wherein the step of calculating the step size further comprises the step of calculating the step size based upon a second transformation coefficient (11 of fig. 2).

***Claim Rejections - 35 USC § 103***

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. Claims 1-5, 9-12, 15-16, 19, 31-35, 39, and 51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakagawa et al. (US 6,025,880) in view of Lau et al. (US 6,681,043 B1).

Re claims 1-11, 15-16, 19-24, 31-35, 39, and 51, Nakagawa discloses a method for calculating an optimum display size for a visual object (23 of fig. 2, and fig. 3) comprising the

Art Unit: 2613

steps of compressing a visual object (fig. 4) with a visual object encoder (fig. 2); for a predetermined number of frames of visual object (30 frames/seconds; col. 6, lines 7-12), deriving a coding difficulty value (11, 12, 13, and 22 of fig. 2); determining the optimum display size (23 of fig. 1; col. 8, lines 5-13) for the visual object (fig. 4) based on at least one of the coding difficulty value (22 of fig. 2) and a visual object transmission rate (25 of fig. 2); wherein the visual object comprises one of a graphical image and video (fig. 4, video); transmitting the visual object over a computer network (25 of fig. 2); wherein the visual object transmission rate comprises one or more values measured in units of information per unit of time (encoded video object of frames per second) and a speed at which binary digits are transmitted (encoded video object are binary digits); wherein the video comprises one of a stored video and a live television signal (INPUT ORIGINAL PICTURE of fig. 2).

It is noted that Nakagawa does not particularly teach the step of calculating one or more signal to noise ratios for one of sets of frames of the visual object, a sampling of frames of the visual object, and each frame of the visual object, the graphical image comprises one of a banner advertisement, a photograph, and a graphical object; automatically displaying the visual object with the optimum display size; displaying the visual object with the optimum display size in response to a user command; wherein the step of displaying a message further comprises displaying a message with one of a cathode ray tube, a liquid crystal display, a light emitting diode display, and a projector; and transmitting the visual object over a wireless medium; one of radio frequency waves, infrared light waves, and a form of electromagnetic coupling; a form of payment as a requirement to encode the visual object as claimed.

However, Lau teaches the step of calculating one or more signal to noise ratios for one of sets of frames of the visual object, a sampling of frames of the visual object, and each frame of the visual object (col. 3, lines 13-28; col. 8, line 40-col. 9, line 3); the graphical image comprises one of a banner advertisement, a photograph, and a graphical object (col. 5, lines 50-65; MPEG-4 standard); automatically displaying the visual object with the optimum display size (fig. 3); displaying the visual object with the optimum display size in response to a user command (fig. 3); wherein the step of displaying a message further comprises displaying a message with one of a cathode ray tube, a liquid crystal display, a light emitting diode display, and a projector (fig. 6); transmitting the visual object over a wireless medium; one of radio frequency waves, infrared light waves, and a form of electromagnetic coupling; a form of payment as a requirement to encode the visual object (34 of fig. 2; Note NETWORK I/F).

Therefore, taking the teachings of Nakagawa and Lau as a whole. It would have been obvious to one of ordinary skill in the art to incorporate the teachings of Lau into the method of Nakagawa to allow the operator is able to visualize how peak signal to noise ratio varies between video objects over a sequence of frames or how the total number of bits affects the peak signal to noise ratio of each component of an object. When the image quality is unsatisfactory, these displays enable the operator to identify a parameter in need of adjusting to balance peak signal to noise ratio and the bit rate.

7. Claims 28 and 36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakagawa et al. (US 6,025,880) in view of Lau et al. (US 6,681,043 B1) as applied to claims 17 and 35, and further in view of Keesman (US 5,805,224).

Re claims 28 and 36, the combination of Nakagawa and Lau does not particularly teach the step of calculating a mean value of the calculated step sizes an audio encoder and an audio/video system multiplexer as claimed.

However, Keesman teaches the step of calculating a mean value of the calculated step sizes an audio encoder and an audio/video system multiplexer (col. 1, lines 15-42).

Therefore, taking the teachings of Nakagawa, Lau, and Keesman as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teachings of Keesman into the combination method of Nakagawa and Lau for the same purpose of calculating the step sizes. Doing so would provide the encoding method more efficiency.

8. Claims 13-14, 29-30, and 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakagawa et al. (US 6,025,880) in view of Lau et al. (US 6,681,043 B1) as applied to claims 1, 17, and 35, and further in view of Rui (US 6,859,802 B1).

Re claims 13-14, 29-30, and 37-38; The combination of Nakagawa and Lau does not particularly teach the step of determining the optimum display size for the visual object comprises the step of associating the coding difficulty value and a visual object transmission rate of the visual object with one or more empirically determined functions; and the step of associating one of a plurality of empirically determined stair step functions with values indicating a relative size of visual object on display device as claimed.

However, Rui teaches the step of determining the optimum display size for the visual object comprises the step of associating the coding difficulty value and a visual object transmission rate of the visual object with one or more empirically determined functions (col. 9,

Art Unit: 2613

lines 40-47); and the step of associating one of a plurality of empirically determined stair step functions with values indicating a relative size of visual object on display device (Note the empirically functions can be varied so that the stair step function is performed).

Therefore, taking the teachings of Nakagawa, Lau, and Rui as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teachings of Rui into the combination of Nakagawa and Lau for the same purpose of empirically determined the display size. Doing so would provide for improved image retrieval based on relevance feedback.

9. Claims 40, 43 and 45-46 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bae et al. (US 6,256,045) in view of Lau et al. (US 6,681,043).

Re claims 40, 43, and 45-46, Bae teaches a system for calculating an optimum display size for a visual object comprising (fig. 6): an decoder (61 of fig. 1) for decompressing a visual object, for calculating a step size for a predetermined number of frames of the visual object (an inverse quantization process performs a step sized; a predetermined number of frames (I, B, P) as considered 30 frames per second; col. 1, lines 11-50), for estimating a coding difficulty value as a function of step size (the inverse quantization process); a display size selector (62 of fig. 16) for determining an optimum display size (509 of fig. 5) of the visual object based on the estimated coding difficulty value and a visual object transmission rate (fig. 5 and 6; col. 6, lines 1-62); wherein the visual object comprises one of a graphical image and video (I, B, P video image); a visual object render (510 of fig. 5; 14 of fig. 6)) for generating the decompressed visual object.



It is noted that Bae does not particularly teach a display device for displaying a message indicating the optimum display size for the encoded visual object; estimates a harmonic mean of a peak to noise ratio for a predetermined number of frames of the visual object as claimed.

However, Lau teaches a display device for displaying a message indicating the optimum display size for the encoded visual object; and estimates a harmonic mean of a peak to noise ratio for a predetermined number of frames of the visual object (fig. 6).

Therefore, taking the teachings of Bae and Lau as a whole. It would have been obvious to one of ordinary skill in the art to incorporate the teachings of Lau into the system of Bae to allow the operator is able to visualize how peak signal to noise ratio varies between video objects over a sequence of frames or how the total number of bits affects the peak signal to noise ratio of each component of an object. When the image quality is unsatisfactory, these displays enable the operator to identify a parameter in need of adjusting to balance peak signal to noise ratio and the bit rate.

10. Claim 42 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bae et al. (US 6,256,045) in view of Lau et al. (US 6,681,043), and further in view of Keesman (US 5,805,224).

Re claim 42, the combination of Bae and Lau does not particularly teach the step of calculating a mean value of the calculated step sizes an audio encoder and an audio/video system multiplexer as claimed.

However, Keesman teaches the step of calculating a mean value of the calculated step sizes an audio encoder and an audio/video system multiplexer (col. 1, lines 15-42).

Therefore, taking the teachings of Bae, Lau, and Keesman as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teachings of Keesman into the combination method of Bae and Lau for the same purpose of calculating the step sizes. Doing so would provide the encoding method more efficiency.

11. Claim 44 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bae et al. (US 6,256,045) in view of Lau et al. (US 6,681,043), and further in view of Rui (US 6,859,802 B1). Re claim 44, The combination of Bae and Lau does not particularly teach the step of determining the optimum display size for the visual object comprises the step of associating the coding difficulty value and a visual object transmission rate of the visual object with one or more empirically determined functions as claimed.

However, Rui teaches the step of determining the optimum display size for the visual object comprises the step of associating the coding difficulty value and a visual object transmission rate of the visual object with one or more empirically determined functions (col. 9, lines 40-47)).

Therefore, taking the teachings of Bae, Lau, and Rui as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teachings of Rui into the combination of Bae and Lau for the same purpose of empirically determined the display size. Doing so would provide for improved image retrieval based on relevance feedback.

12. Claims 47-50 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nakagawa et al. (US 6,025,880) in view of Klosterman et al. (US 6,469,753 B1).

Re claim 47-50, Nakagawa discloses a method for calculating an optimum display size for a visual object (figs. 2-4) comprising the steps of compressing a visual object with a visual object encoder (fig. 2); determining the optimum display size (23 of fig. 2) for the visual object based on at least one of a coding difficulty value (22 of fig. 2) and a visual object transmission rate (25 of fig. 2; col. 8, lines 5-24).

It is noted that Nakagawa does not particularly teach the step of displaying a message indicating the optimum display size for the encoded visual object; wherein the step of determining an optimum display size further comprises the step of evaluating one of a quality of the display device and a size of the display device; and automatically displaying the visual object with the optimum display size; displaying the visual object with the optimum display size in response to a user command as claimed.

However, Klosterman teaches the step of displaying a message indicating the optimum display size for the encoded visual object (col. 8, lines 26-50); wherein the step of determining an optimum display size further comprises the step of evaluating one of a quality of the display device and a size of the display device (figs. 5a, 5b); and automatically displaying the visual object with the optimum display size (MPEG-2 of fig. 6a); displaying the visual object with the optimum display size in response to a user command (MPEG-1 of fig. 6a).

Therefore, taking the teachings of Nakagawa and Klosterman as a whole, it would have been obvious to one of ordinary skill in the art to incorporate the teachings of Klosterman into the method of Nakagawa for displaying the indication of the compressed or encoded video format. Doing so would allow the user to choose between full screen display of the guide and a partial or reduced size picture-in-picture (PIP) window display of the guide via.

***Conclusion***

13. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See the previous Office Action.

***Contact Information***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tung Vo whose telephone number is 571-272-7340. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mehrdad Dastouri can be reached on 571-272-7418. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Tung Vo  
Primary Examiner  
Art Unit 2613